JUN 04 2007

Atty Dkt. No.: BIOT-005CON USSN: 10/684,151

LISTING OF THE CLAIMS

None of the claims have been amended. However, for the Examiner's convenience, a complete listing of the claims with their current status is presented hereinbelow.

1-30. (Cancelled)

- 31. (Previously Presented) A method of administering a physiologically acceptable aqueous solution to a subject in need thereof, said method comprising:
 - (a) positioning said subject in a hyperbaric oxygen chamber, and
- (b) administering to said subject a physiologically acceptable aqueous solution comprising:
 - (i) electrolytes,
- (ii) a dynamic buffering system comprising a carboxylic acid, salt or ester thereof, and
- (iii) at least a first oncotic agent wherein said oncotic agent is a hydroxyethyl starch or dextran and wherein said solution does not comprise a biological buffer.
- 32. (Previously Presented) The method of Claim 41, wherein said first and second oncotic agents have different molecular weights.
- 33. (Previously Presented) The method of Claim 32, wherein said first oncotic agent is a low to medium molecular weight oncotic agent and said second oncotic agent is a high molecular weight oncotic agent.
- 34. (Previously Presented) The method of Claim 41, wherein said first and second oncotic agents are polysaccharides.

Atty Dkt. No.: BIOT-005CON USSN: 10/684,151

- 35. (Previously Presented) The method of Claim 41, wherein said polysaccharides are hydroxyethyl starches.
- 36. (Previously Presented) The method of Claim 41, wherein said first oncotic agent's clearance rate differs from said second oncotic agent's clearance rate by about 2 fold.
- 37. (Previously Presented) The method of Claim 41, wherein said first oncotic agent has a clearance rate of 2 to 3 hours and said second oncotic agent has a clearance rate of 6 hours.
- 38. (Cancelled)
- 39. (Previously Presented) The method of Claim 41, wherein said carboxylic acid, salt, or ester thereof is selected from the group of: lactate, acetate, gluconate, citrate and pyruvate.
- 40. (Previously Presented) The method of Claim 41, wherein said dynamic buffering system further comprises bicarbonate.
- 41. (Previously Presented) The method of Claim 31 further comprising a second oncotic agent wherein said second oncotic agent is a hydroxyethyl starch or dextran and has a clearance rate which is different from said first oncotic agent's clearance rate.
- 42. (Previously Presented) A method of replacing a subject's circulating blood volume with a physiologically acceptable aqueous solution, said method comprising:

administering to said subject a physiologically acceptable aqueous solution comprising:

(i) electrolytes,

Atty Dkt. No.: BIOT-005CON USSN: 10/684,151

- (ii) a dynamic buffering system comprising a carboxylic acid, salt or ester thereof.
- (iii) at least one oncotic agent, wherein said oncotic agent is a hydroxyethyl starch or dextran; wherein said solution does not comprise a biological buffer; and wherein said solution replaces at least a portion of said subject's circulating blood volume.
- 43. (Previously Presented) The method of Claim 42, wherein said subject is in a pressurized atmosphere of increased oxygen concentration, wherein said oxygen concentration is greater than 20% oxygen.
- 44. (Previously Presented) The method of Claim 43, wherein said oxygen concentration is 100% oxygen.
- 45. (Previously Presented) The method of Claim 44, wherein said subject is in a hyperbaric chamber at hyperbaric pressures of about 0.07 to about 2 atmospheres over ambient pressure.
- 46. (Previously Presented) The method of Claim 42, wherein said subject's body temperature is maintained at a normal temperature.
- 47. (Previously Presented) The method of Claim 42, wherein said subject's body temperature is chilled to below normal temperature.
- 48. (Previously Presented) The method of Claim 42, further comprising administering at least one cardioplegic agent, wherein said cardioplegic agent is lidocaine, procaine, or novocaine.
- 49. (Previously Presented) The method of Claim 42, wherein said solution is augmented by adding an adduct and wherein said adduct is propanediol or

Atty Dkt. No.: BIOT-005CON

USSN: 10/684,151

glucose having a concentration ranging from 50 mM to 60 mM.

(Previously Presented) The method of Claim 42, wherein said carboxylic 50. acid, salt, or ester thereof is selected from the group of: lactate, acetate, gluconate, citrate and pyruvate.

6503273231

- (Previously Presented) The method of Claim 42, wherein said electrolytes 51. comprises:
 - a) Na⁺;
 - b) CI;
 - c) Ca⁺⁺;
 - d) K+; and
 - e) Mg⁺⁺.